



RECEIVED
JUL 18 2003
TC 1700

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

#17
Elena
7/22/03

In re Application of:

Schwarz, Eugen, et. al.

Examiner: TSOY, Elena

Serial No.: 10/009,487

Group Art Unit: 1762

Filed: 12/13/01

Title: SPRAY-DRYING INSTALLATION AND A METHOD FOR USING THE
SAME

RESPONSE TO RESTRICTION REQUIREMENT

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the Restriction Requirement dated June 17, 2003, please consider the remarks that follow.

REMARKS

Applicants elect with traverse claims 10-17 of Group II, drawn to a spray-drying plant. Applicants traverse the restriction requirement on the basis that the Examiner has not established that examining all of the claimed features in the application would constitute a serious burden.

No fee is believed to be due with this response, however, the Commissioner is hereby authorized to charge any fees associated with this response or credit any overpayment to Deposit Account No. 13-3402.

Respectfully submitted,

James E. Ruland, Reg. No. 37,432
Attorney/Agent for Applicant(s)

MILLEN, WHITE, ZELANO
& BRANIGAN, P.C.
Arlington Courthouse Plaza 1, Suite 1400
2200 Clarendon Boulevard
Arlington, Virginia 22201
Telephone: (703) 243-6333
Facsimile: (703) 243-6410

Attorney Docket No.: MERCK-2330
Date: July 17, 2003

JER/jqs

K:\Merck\2330\Response to Restriction Requirement.doc